

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1 **Product identifier**

> **Product Name** NEOASTRA F - AEROSOL.

CAS No. Mixture. EINECS No. Mixture.

REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or

mixture and uses advised against

Identified use(s) For use in the Magnetic Particle Inspection Process (BS EN

ISO 9934-2:2002).

Uses advised against None known.

1.3 Details of the supplier of the Safety Data Sheet

Johnson and Allen Ltd Company Identification

Neocol Works Smithfield Sheffield S3 7AR. 0114 2738066

Telephone 0114 2729842

E-Mail (competent person) info@johnsonandallen.co.uk

1.4 Emergency telephone number

> Emergency Phone No. 0114 2738066 (UK office hours 08.30-17.00)

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP)

Aerosol 3; Pressurised container: May burst if heated. Asp. Tox. 1; May be fatal if swallowed and enters airways.

2.2 Label elements

> **Product Name** Hazard Pictogram

According to Regulation (EC) No. 1272/2008 (CLP) NEOASTRA F - AEROSOL.



Danger.

Signal word(s) Hazard statement(s)

H304: May be fatal if swallowed and enters airways. Precautionary statement(s) P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. P251: Do not pierce or burn, even after use. P410+P412: Protect from sunlight. Do no expose to

H229: Pressurised container: May burst if heated.

temperatures exceeding 50°C/ 122°F.

P301+P310: IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P331: Do NOT induce vomiting.

P405: Store locked up.

Revision: 5 Page: 1/7 Date: 06/08/2015



2.3 Other hazards None.

2.4 Additional Information For full text of H/P Statements see section 16.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.1 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Kerosene – unspecified – Distillates (petroleum), hydrotreated light	>90	64742-47-8	265-149-8	None assigned	GHS08, Asp. Tox. 1; H304
Carbon dioxide	1-10	124-38-9	204-696-9	None assigned	GHS04, Press. Gas; H280

3.2 Additional Information

For full text of H/P Statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing. If symptoms

persist, obtain medical attention.

Skin Contact Wash with plenty of soap and water. Remove contaminated

clothing and wash clothing before reuse. If symptoms

persist, obtain medical attention.

Eye Contact Flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, obtain medical attention.

Ingestion IF SWALLOWED: Do NOT induce vomiting. Immediately

call a POISON CENTER/doctor.

4.2 Most important symptoms and effects, both Aspiration into the lungs may cause chemical pneumonitis,

acute and delayed which can be fatal.

4.3 Indication of any immediate medical attention Unlikely to be required but if necessary treat

and special treatment needed symptomatically.

Revision: 5 Page: 2/7 Date: 06/08/2015



5. SECTION 5: FIRE-FIGHTING MEASURES

Pressurised container: May burst if heated.

5.1 Extinguishing Media

Suitable Extinguishing Media
Unsuitable Extinguishing Media

5.2 Special hazards arising from the substance or mixture

5.3 Advice for fire-fighters

Extinguish with waterspray, foam or dry chemical.

None known.

Heating may cause pressure rise with risk of bursting.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. Keep containers cool by spraying with water if exposed to fire.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

6.4 Reference to other sections

Ensure adequate ventilation. Wear suitable gloves and eye/face protection.

Do not release large quantities into the surface water or into

drains.

Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by

burning, even when empty. See Also Section: 8, 13.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Provide adequate ventilation. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke during work. Wash hands thoroughly after handling. Store locked up. Protect from sunlight.

7.2 Conditions for safe storage, including any incompatibilities

Storage Temperature

Storage Life

Incompatible materials

Ambient. Do not expose to temperatures exceeding 50°C/122°F.

Stable under normal conditions.

Strong oxidising agents, Natural rubber, Butyl rubber,

Polystyrene.

7.3 Specific end use(s) For use in the Magnetic Particle Inspection Process (BS EN

ISO 9934-2:2002).

Revision: 5 Page: 3/7 Date: 06/08/2015



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters**

8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr	LTEL (8 hr	STEL	STEL	Note
		TWA ppm)	TWA mg/m³)	(ppm)	(mg/m³)	
Kerosene – unspecified – Distillates (petroleum), hydrotreated light	64742-47-8	150	1200	-	-	WEL (Reciprocal Calculation Method)
Carbon dioxide	124-38-9	5000	9150	15000	27400	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 Biological limit value Not established.

8.1.3 PNECs and DNELs Not established.

Exposure controls 8.2

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

> Eye/face protection Wear suitable eye/face protection.



Skin protection (Hand protection/ Other) Wear suitable protective clothing and gloves.



Not normally required. Wear a suitable respirator if the Respiratory protection



ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.

During spraying wear suitable respiratory equipment: A suitable mask with filter type A (EN14387 or EN405) may be appropriate. Use a respirator/filter with at least: PF10: 10 x Protection Factor.

Not applicable.

Thermal hazards

8.2.3 Environmental Exposure Controls Do not release large quantities into the surface water or into

drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Aerosol.

Colour Brown (Shaken). Odour Paraffinic. Odour Threshold Not available. pΗ Not applicable. Melting Point/Freezing Point Not applicable.

235 – 270 °C [Kerosene – unspecified – Distillates Initial boiling point and boiling range

(petroleum), hydrotreated light]

Revision: 5 Page: 4/7 Date: 06/08/2015



Flash Point >100 °C
Evaporation rate Not applicable.
Flammability (solid, gas) Non-flammable.
Upper/lower flammability or explosive limits Not applicable.

Vapour pressure 0.015 mm Hg @ 20 °C

Vapour density Not available. Relative density Not available.

Solubility(ies) Immiscible with water.

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition Temperature
Kinematic Viscosity
Not available.
3.2 cSt

Explosive properties Pressurised container: May burst if heated.

Oxidising properties Not oxidising.

9.2 Other information None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No hazardous reactions known if used for its intended

purpose.

10.4 Conditions to avoid Heat and direct sunlight.

10.5 Incompatible materials Strong oxidising agents, Natural rubber, Butyl rubber,

Polystyrene.

10.6 Hazardous Decomposition Product(s) No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

Unlikely to cause harmful effects under normal conditions of handling and use.

11.1 Information on toxicological effects

11.1.1 Mixtures

Acute toxicity

Ingestion Low oral toxicity.

Kerosene – unspecified – Distillates (petroleum), hydrotreated light: LD50 (rat) : >15000mg/kg.

Inhalation Low acute toxicity.

Kerosene – unspecified – Distillates (petroleum),

hydrotreated light: LC50 (rat) 4hour(s): >4951mg/m³.

Skin Contact Low acute toxicity.

 $Kerosene-unspecified-Distillates\ (petroleum),$

hydrotreated light LD50 (rabbit): >2000mg/kg.

Eye Contact Low acute toxicity.

Irritation Not classified.

Corrosivity Not classified.

Sensitisation Not expected to be a skin or respiratory sensitiser.

Repeated dose toxicity None anticipated.

Carcinogenicity No evidence of carcinogenicity.

Mutagenicity There is no evidence of mutagenic potential.

Toxicity for reproductionNone anticipated.

Aspiration hazard Asp. Tox. 1; May be fatal if swallowed and enters airways.

Aspiration into the lungs may cause chemical pneumonitis,

which can be fatal.

11.2 Other information None.

Revision: 5 Page: 5/7 Date: 06/08/2015



12. SECTION 12: ECOLOGICAL INFORMATION

12.1 **Toxicity** Low toxicity to aquatic organisms.

The product is not biodegradable. There is evidence of 12.2 Persistence and degradability

photodegradation in air. The product is unlikely to persist in

the environment.

12.3 Bioaccumulative potential The product has potential for bioaccumulation.

Kerosene - unspecified - Distillates (petroleum),

hydrotreated light: BCF = 130-159.

12.4 Mobility in soil Immiscible with water. The product is predicted to have low

mobility in soil. The product is volatile and will partition into the atmosphere. Higher molecular weight hydrocarbons: The substance may adsorb onto soils and sediments.

Results of PBT and vPvB assessment Not classified as PBT or vPvB. 12.5

12.6 Other adverse effects None.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Recycle only completely emptied packaging. Containers

> must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Refer to manufacturer for information on recovery/recycling. Do NOT landfill.

13.2 **Additional Information** Disposal should be in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 **UN number** UN 1950

14.2 AEROSOLS. **UN Proper Shipping Name**

14.3 Transport hazard class(es)

14.4 **Packing Group** None. 14.5 **Environmental hazards** None. 14.6 Special precautions for user None

Transport in bulk according to Annex II of 14.7 Not applicable.

MARPOL73/78 and the IBC Code

14.8 **Additional Information**

14.8.1 ADR Classification Code 5Α

14.8.2 Hazard label(s) 2.2 + EHS 14.8.3 IMDG Code EmS: F-D, S-U

15. SECTION 15: REGULATORY INFORMATION

Safety, health and environmental

regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use

Candidate List of Substances of Very High Concern All chemicals are not listed.

for Authorisation

REACH: ANNEX XVII Restrictions on the All chemicals are not listed. manufacture, placing on the market and use of

certain dangerous substances, mixtures and articles

REACH: ANNEX XIV List of substances subject to

REACH: ANNEX IV Exemptions from the Obligation Listed: Carbon dioxide (CAS No.: 124-38-9)

to Register in accordance with Article 2(7)(a)

Revision: 5 Page: 6/7 Date: 06/08/2015

All chemicals are not listed.



Community Rolling Action Plan (CoRAP);

All chemicals are not listed.

Draft 29/02/2012 Other EU regulations

This product is not classified as a Volatile Organic Compound according to the Directive 1999/13/EC.

15.1.2 National regulations 15.2 Chemical Safety Assessment

None known. Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEL Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative

Aerosol 3 Aerosol Category 3

Press. Gas Gases under pressure: Compressed gas

Asp. Tox. 1 Aspiration hazard Category 1

Hazard statement(s)

H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways.

Hazard pictogram(s) and Hazard Symbol

GHS04

GHS08



Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Johnson and Allen Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Johnson and Allen Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.

Revision: 5 Page: 7/7 Date: 06/08/2015