



NEOASTRA F - BULK

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	NEOASTRA F – BULK.
CAS No.	Mixture.
EINECS No.	Mixture.
REACH Registration No.	None assigned.
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Identified use(s)	For use in the Magnetic Particle Inspection Process (BS EN ISO 9934-2:2002).
Uses advised against	None known.
1.3 Details of the supplier of the Safety Data Sheet	
Company Identification	Johnson and Allen Ltd. Neocol Works Smithfield Sheffield S3 7AR. 0114 2738066. 0114 2729842. info@johnsonandallen.co.uk
Telephone	
Fax	
E-mail	
1.4 Emergency telephone number	
Emergency Phone No.	0114 2738066. (UK office hours 08.30-17.00).

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
2.1.1 Regulation (EC) No. 1272/2008 (CLP)	Asp. Tox. 1; May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking.
2.1.2 Directive 67/548/EEC & Directive 1999/45/EC	Xn; Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.
2.2 Label elements	
2.2.1 Label elements	
Product Name	According to Regulation (EC) No. 1272/2008 (CLP). NEOASTRA F- BULK.
Hazard Pictogram	
Signal word(s)	GHS08 Danger.
Hazard statement(s)	H304: May be fatal if swallowed and enters airways. EUH066: Repeated exposure may cause skin dryness or cracking.
Precautionary statement(s)	P301 + P310: IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. P331: Do NOT induce vomiting. P405: Store locked up. P501: Dispose of contents/container to: Licensed recycler. According to Directive 67/548/EEC & Directive 1999/45/EC
2.2.2 Label elements	



NEOASTRA F - BULK

Hazard Symbol



Xn

Risk Phrases

R65: Harmful: may cause lung damage if swallowed.
R66: Repeated exposure may cause skin dryness or cracking.
S2, S23, S24, S62.

Safety Phrases

None.

2.3 Other hazards

2.4 Additional Information

For full text of H/P phrases see section 16.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Hazard statement(s)
Kerosene – unspecified – distillates (petroleum), hydrotreated light	>90	64742-47-8	265-149-8	01-2119453414-43-0001	GHS08, Asp. Tox. 1; H304, EUH066.

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	EC Classification and Risk Phrases
Kerosene – unspecified – distillates (petroleum), hydrotreated light	>90	64742-47-8	265-149-8	01-2119453414-43-0001	Xn; R65, R66.

3.2 Additional Information

For full text of H/P phrases see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention.

Skin Contact

Wash with plenty of soap and water. Remove contaminated clothing and wash clothing before reuse. If symptoms persist, obtain medical attention.

Eye Contact

Flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, obtain medical attention.

Ingestion

IF SWALLOWED: Do NOT induce vomiting. Immediately call a POISON CENTRE or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration into the lungs may cause chemical pneumonitis, which can be fatal. Repeated exposure may cause skin dryness or cracking.

4.3 Indication of immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.



NEOASTRA F - BULK

5. SECTION 5: FIRE-FIGHTING MEASURES

Non-flammable.

- | | | |
|--|--------------------------------|---|
| 5.1 Extinguishing Media | Suitable Extinguishing Media | Extinguish preferably with dry chemical, foam or waterspray. |
| | Unsuitable Extinguishing Media | None known. |
| 5.2 Special hazards arising from the substance or mixture | | None known. |
| 5.3 Advice for fire-fighters | | Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Avoid spraying water directly into storage containers due to danger of boilover. |

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- | | | |
|--|--|---|
| 6.1 Personal precautions, protective equipment and emergency procedures | | Ensure adequate ventilation. Avoid inhalation of high concentrations of vapours. Wear suitable protective clothing, gloves and eye/face protection. |
| 6.2 Environmental precautions | | Do not allow to enter drains, sewers or watercourses. |
| 6.3 Methods and material for containment and cleaning up | | Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. |
| 6.4 Reference to other sections | | See Section: 8 and 13. |
| 6.5 Additional information | | None. |

7. SECTION 7: HANDLING AND STORAGE

- | | | |
|---|------------------------|--|
| 7.1 Precautions for safe handling | | Provide adequate ventilation. Avoid inhalation of high concentrations of vapours. Avoid prolonged skin contact. Wear suitable protective clothing, gloves and eye/face protection. Wash thoroughly with soap and water after handling. Do not eat, drink or smoke during work. |
| 7.2 Conditions for safe storage, including any incompatibilities | | Store locked up. |
| | Storage Temperature | Ambient. |
| | Storage Life | Stable under normal conditions. |
| | Incompatible materials | Strong oxidising agents, Natural rubber, Polystyrene, Butyl rubber. |
| 7.3 Specific end use(s) | | For use in the Magnetic Particle Inspection Process (BS EN ISO 9934-2:2002). |

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
8.1.1 Occupational Exposure Limits




SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note:
Kerosene – unspecified – distillates (petroleum), hydrotreated light	64742-47-8	150	1200	-	-	WEL (Reciprocal Calculation Method)

WEL: Workplace Exposure Limit (UK HSE EH40)

- | | |
|-------------------------------------|------------------|
| 8.1.2 Biological limit value | Not established. |
|-------------------------------------|------------------|



NEOASTRA F - BULK

<p>8.1.3 PNECs and DNELs</p> <p>8.2 Exposure controls</p> <p>8.2.1 Appropriate engineering controls</p> <p>8.2.2 Personal protection equipment</p> <p>Eye/face protection</p>  <p>Skin protection (Hand protection/ Other)</p>  <p>Respiratory protection</p>  <p>Thermal hazards</p> <p>8.2.3 Environmental Exposure Controls</p>	<p>Not established.</p> <p>Provide adequate ventilation.</p> <p>Wear protective eye glasses for protection against liquid splashes.</p> <p>Wear suitable gloves if prolonged skin contact is likely. Impervious gloves (EN 374).</p> <p>Not normally required.</p> <p>Handling of larger amounts: A suitable mask with filter type A (EN14387 or EN405) may be appropriate. Use a respirator/filter with at least: PF10: 10 x Protection Factor.</p> <p>Not applicable.</p> <p>Do not allow to enter drains, sewers or watercourses.</p>
--	--

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<p>9.1 Information on basic physical and chemical properties</p> <p>Appearance</p> <p>Colour</p> <p>Odour</p> <p>Odour Threshold (ppm)</p> <p>pH (Value)</p> <p>Melting Point (°C)</p> <p>Boiling Point (°C)</p> <p>Flash Point (°C)</p> <p>Evaporation rate</p> <p>Flammability</p> <p>Explosive limit ranges</p> <p>Vapour Pressure (mm Hg)</p> <p>Vapour Density (Air=1)</p> <p>Bulk Density (g/ml)</p> <p>Solubility (Water)</p> <p>Solubility (Other)</p> <p>Partition Coefficient (n-Octanol/water)</p> <p>Auto Ignition Temperature (°C)</p> <p>Decomposition Temperature (°C)</p> <p>Kinematic Viscosity</p> <p>Explosive properties</p> <p>Oxidising properties</p> <p>9.2 Other information</p>	<p>Liquid.</p> <p>Brown (Shaken).</p> <p>Paraffinic.</p> <p>Not available.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>235 – 270°C.</p> <p>>100°C.</p> <p>Not available.</p> <p>Non-flammable.</p> <p>Not applicable.</p> <p>Not available.</p> <p>Not available.</p> <p>Not applicable.</p> <p><0.10 wt%. Slightly soluble.</p> <p>Not available.</p> <p>Not available.</p> <p>>200°C.</p> <p>Not available.</p> <p>3.2cSt.</p> <p>Not applicable.</p> <p>Not applicable.</p> <p>None.</p>
---	---

10. SECTION 10: STABILITY AND REACTIVITY

<p>10.1 Reactivity</p> <p>10.2 Chemical stability</p>	<p>Stable under normal conditions.</p> <p>Stable under normal conditions.</p>
---	---



NEOASTRA F - BULK

10.3	Possibility of hazardous reactions	Stable under normal conditions.
10.4	Conditions to avoid	Heat and direct sunlight.
10.5	Incompatible materials	Strong oxidising agents, Natural rubber, Butyl rubber, Polystyrene.
10.6	Hazardous Decomposition Product(s)	None known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	
11.1.1	Mixtures	
	Acute toxicity	
	Ingestion	Low oral toxicity. Kerosene – unspecified – distillates (petroleum), hydrotreated light: LD50 (rat) : >15000mg/kg.
	Inhalation	Low acute toxicity. Kerosene – unspecified – distillates (petroleum), hydrotreated light: LC50 (rat) 4hour(s) : >4951mg/m ³ .
	Skin Contact	Low acute toxicity. Kerosene – unspecified – distillates (petroleum), hydrotreated light: LD50 (rabbit) : >2000mg/kg.
	Eye Contact	Low acute toxicity.
	skin corrosion/irritation	Repeated exposure may cause skin dryness or cracking.
	Serious eye damage/irritation	Not classified.
	Respiratory or skin sensitization	Not expected to be a skin or respiratory sensitiser.
	Repeated dose toxicity	None anticipated.
	Carcinogenicity	No evidence of carcinogenicity.
	Mutagenicity	There is no evidence of mutagenic potential.
	Toxicity for reproduction	None anticipated.
	Aspiration hazard	Asp. Tox. 1: May be fatal if swallowed and enters airways. Aspiration into the lungs may cause chemical pneumonitis, which can be fatal.
11.2	Other information	None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Low toxicity to aquatic organisms.
12.2	Persistence and degradability	The product is not biodegradable. There is evidence of photodegradation in air. The product is unlikely to persist in the environment.
12.3	Bioaccumulative potential	The product has potential for bioaccumulation. Kerosene – unspecified – distillates (petroleum), hydrotreated light: BCF = 130-159.
12.4	Mobility in soil	Immiscible with water. The product is predicted to have low mobility in soil. The product is volatile and will partition into the atmosphere. Higher molecular weight hydrocarbons: The substance may adsorb onto soils and sediments.
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Dispose of contents/container to: Licensed recycler. Refer to manufacturer for information on recovery/recycling. Do NOT landfill.
13.2	Additional Information	Disposal should be in accordance with local, state or



NEOASTRA F - BULK

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

Not classified as dangerous for transport.

14.1	UN number	Not applicable.
14.2	Proper Shipping Name	Not applicable.
14.3	Transport hazard class(es)	Not applicable.
14.4	Packing Group	Not applicable.
14.5	Environmental hazards	Not applicable.
14.6	Special precautions for user	Not applicable.
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	
	Authorisations and/or restrictions on use	None known.
	Other EU regulations	This product is not classified as a Volatile Organic Compound according to the Directive 1999/13/EC.
15.1.2	National regulations	None known.
15.2	Chemical Safety Assessment	Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	PBT: Persistent, Bioaccumulative and Toxic
vPvB	vPvB: very Persistent and very Bioaccumulative
OEL	Occupational Exposure Limits
Asp. Tox. 1	Aspiration hazard Category 1.
Xn	Harmful

Risk Phrases and Safety Phrases

R65	Flammable.
R66	Repeated exposure may cause skin dryness or cracking.
S2	Keep out of the reach of children.
S23	Do not breathe vapour.
S24	Avoid contact with skin.
S62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Hazard statement(s)

H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.



NEOASTRA F - BULK

Hazard pictogram(s) and Hazard Symbol

GHS08



Xn



Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Johnson and Allen Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Johnson and Allen Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.