

Version 15.2 replaces Version 15.1 Revision date: 30.10.15 According to (EU) No. 2015/830

SECTION	1 IDENTIFICATION OF THI COMPANY / UNDERTAK		MIXTURE AND OF THE
1.1	Product identifier:	SPOTCHECK	® SKL-SP2
	Relevant identified uses of the mixture ar	nd uses advised	against:
	Relevant identified uses:		used in Non Destructive
	Uses advised against:	This product is	s not recommended for any the identified uses above.
1.3	Details of the supplier of the safety data s	sheet	
	Manufacturer: Address:		A division of ITW Ltd) I, South Dorcan Industrial on. UK
	Postcode:	SN3 5HE	
	Telephone/fax number:	Telephone:	+44 (0)1793 524566
		Fax:	+44 (0)1793 490459
		Web:	www.eu.magnaflux.com
	Email address of competent person responsible for SDS:	datasheets@r	nagnaflux.co.uk
	National contact:	None appointe	ed
1.4	Emergency telephone number:		3 524566 (office hours)
	Opening hours:	Office hours (- 5pm, Friday	GMT) Monday - Thursday 8am 8am - 4pm
	Other comments:		lephone service is provided in

SECTION 2

HAZARDS IDENTIFICATION

2.1	Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 (CLP):	e: Physical and Chemical Hazard: None Health Hazard: Asp. Tox. 1 H304 Environmental Hazard: None
8	Additional information	EUH066
	For full text of hazard statements and EU ha	zard statements see SECTION 16.

2.2

Label Elements:

Labelling according to regulation (EC) No 1272/2008 [CLP] Hazard Pictograms:

Signal Word:	Danger
Hazard Statement(s):	H304: May be fatal if swallowed and enters airways.
Precautionary Statement(s):	 P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE or doctor. P331: Do NOT induce vomiting. P405: Store locked up. P501: Dispose of containers and contents to hazardous waste or special waste collection point.
Supplementary Precautionary	P280: Wear protective gloves / protective
Statement(s):	clothing / eye protection / face protection.
Supplementary Hazard Information (EU)	EUH066: Repeated exposure may cause skin dryness or cracking.
Hazard Determining Component(s)	HYDROCARBONS C12 - C15 n-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS Distillates (petroleum) hydrotreated light naphthenic

2.3 Other hazards:

Spilled liquid could present a slip hazard. Product may stain skin.

SECTION 3

COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures

Ingredient Name	CAS No	EC No	REACH Registration Number	% Weight	Classification according to Regulation (EC) No 1272/2008 [CLP]	Additional information
HYDRO CARBONS C12- C15 n-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS	-	920- 107-4	01-2119453414- 43-xxxx	<80	Asp. Tox. 1, H304	EUH066
1,2-Benzenedi carboxylic acid, di-C8- C10-branched alkyl esters, C9-rich	68515- 48-0	271- 090-9	01-2119432682- 41	<15	Not classified	Has DNEL
Distillates (petroleum), hydrotreated light naphthenic	64742- 53-6	265- 156-6	01-2119480375- 34-xxxx	<10	Carc. 1B, H350 (¹); Asp. Tox. 1, H304	-

(¹) The classification as a carcinogen need not apply because the hydrocarbon solvent present, contains less than 3% DMSO extract as measured by IP 346 (Dir. 2001/59/EC, Note L).

Note: Hazard statement(s) in this section apply only to raw materials, not necessarily to finished products.

*See Section 16 for hazard statement(s) text in full.

SECTI	ON 4 FIRST AID MEASURES	6
4.1	Description of first aid measures:	
	General notes:	If symptoms persist, seek medical attention. Show this safety data sheet to the doctor in attendance.
	Following inhalation:	Remove to fresh air. Keep at rest. If not breathing give artificial respiration. Seek medical attention immediately.
	Following skin contact:	Flush with water, use soap if available. Contaminated clothing should be washed before re-use.
	Following eye contact:	Flush eyes with large amounts of water for at least 10 minutes. Seek medical attention if symptoms occur.
	Following ingestion:	Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't enter the lungs. Never give anything by mouth to an unconscious person. Seek medical attention immediately.
	Self-protection of the first aider:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that the mixture is still present, wear appropriate personal protective equipment.
4.2	Most important symptoms, both acute	
		zziness and nausea. Droplets of the product

Vapours may cause headache, fatigue, dizziness and nausea. Droplets of the product aspirated into the lungs through ingestion or vomiting may casue a serious chemical pheumonia.

4.3 Indication of any immediate medical attention and special treatment needed: Treat Symptomatically.

SECTION 5 F

FIREFIGHTING MEASURES

5.1 Extinguishing media: Suitable extinguishing media:

Unsuitable extinguishing media:

Carbon dioxide, dry powder, alcoholresistant foam, or water fog. Do not use water jet as an extingusher as this will spread the fire.

may give off toxic fumes.

5.2 Special hazards arising from the substance or mixture: Evacuate immediate area. If possible keep unaffected containers cool with water spray. Smoke, soot, oxides of carbon on combustion. Burning vapour may give off toxic fumes. Hazardous combustion products: Soot, smoke and oxides of carbon and nitrogen on combustion. Burning vapour

5.3 Advice for fire-fighter:

Self contained breathing apparatus and full protective clothing must be worn. Water spray should be used to cool containers.

SECTION	6 ACCIDENTAL RELEAS	SE MEASURES
6.1	Personal precautions, protective equip Suitable protective equipment (see Section contamination of skin, eyes and personal	n 8) should be worn to prevent any
	For non-emergency personnel:	Remove ignition source. Avoid breathing vapours, mist or gas and ensure adequate ventilation. Vapours are likely to accumulate in low areas. Avoid contact with skin and eyes.
	For emergency responders:	Remove iginition source. Avoid breathing vapours and ensure adequate ventilation. Keep unnecessary people at a safe distance.
6.2	Environmental precautions: Prevent liquid from entering drains sewers Notify the Environment Agency or water a product contaminating soil.	s and watercourses. uthorities if a major spillage occurs. Prevent
6.3	Methods and material for containment	and cleaning up: Ires to prevent the build-up of electrostatic
	For containment:	Contain spillage, and then collect with non- combustible absorbent material, (e.g. Sand, earth, diatomaceous earth, vermiculite). Place in a container for disposal according to local/national regulations. Large spills should be pumped into containers pending disposal. Dispose of waste according to local/national regulations
	For cleaning up:	Allow residues to evaporate. Do not flush away residues with water.
6.4	Other information: Reference to other sections: For Personal Protective Equipment see S	No other information. ection 8. For disposal information see Section
	13.	

SECTION 7

HANDLING & STORAGE

7.1	Precautions for safer handling: Protective Measures:	Wear suitable protective clothing such as chemical resistant gloves, apron and
		goggles/face mask to protect from splashes. Avoid contact with skin and eyes. Do not breathe product mist or spray. Ensure adequate exhaust ventilation when in use.
	Measures to prevent fire:	Keep away from sources of ignition. Take measures to prevent the build up of electrostatic charge.
	Advice on general occupational hygiene:	Wash thoroughly after handling.
7.2	Conditions for safe storage, including any	incompatibilities:
	Technical measures and storage	Store in a cool dry area away from heat and
	conditions:	sources of ignition. Keep containers closed when not in use.
	Packaging materials:	Store in original container.

Requirements for storage rooms and vessels:

Further information on storage conditions: Specific end use(s): Recommendations:

Industrial sector specific solutions:

Store locked up. Recommended storage temperature 10 °C to 30 °C. Keep containers out of direct sunlight. Rotate stock and check regularly for damaged items.

Use only for Non Destructive Testing (NDT) applications. See product data sheet for further information.

SECTION 8

7.3

EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters:

Occupational exposure limit values:

Occupational exposure figures have been set for some of the components of this preparation based on GESTIS International Limit Values or manufacturers' recommendation.

		Limit valu	e - 8 hours	Limit value	- short term
Ingredient name	Country	ppm	mg /m ³	ppm	mg /m ³
Hydrocarbons C12 - C15 n-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS	Supplier's recommendation	150	1200		
1,2-Benzenedicarboxylic acid, di-C8-C10-branched alkyl esters, C9-rich	Supplier's recommendation		5		
Data obtained from Supplier's sds.					

Note: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.

Derived No Effect Level (DNEL) - Hydrocarbons C12 - C15 n-alkanes, isoalkanes, cyclics, < 2% aromatics

End User	Exposure Route	Exposure Time	Effects	DNEL
Worker	Inhalation	Long term	Systemic	No-threshold effect and/or no dose- response information available
Worker	Inhalation	Short term	Local	No-threshold effect and/or no dose- response information available
Worker	Dermal (skin)	Long term	Systemic	No-threshold effect and/or no dose- response information available

Derived No Effect Level (DNEL) – 1,2-Benzenedicarboxylic acid, di-C8-C10-branched alkyl esters, C9-rich

End User	Exposure Route	Exposure Time	Effects	DNEL
Worker	Inhalation	Long term	Systemic	51.72 mg/m ³
Worker	Dermal (skin)	Long term	Systemic	366 mg/kg bw/day

DNEL - distillates (petroleum), hydrotreated light naphthenic No data available.

Note: The Derived No Effect Level (DNEL) is an estimated safe level of exposure that is derived from toxicity data in accordance with specific guidance within the European REACH regulation. The DNEL may differ from an Occupational Exposure Limit (OEL) for the same chemical. OELs may be recommended by an individual company, a government regulatory body or an expert organization, such as the Scientific Committee for Occupational Exposure Limits (SCOEL) or the American

Conference of Governmental Industrial Hygenists (ACGIH). OELs are considered to be safe exposure levels for a typical worker in an occupational setting for an 8-hour work shift, 40 hour work week, as a time weighted average (TWA) or a 15 minute short-term exposure limit (STEL). While also considered to be protective of health, OELs are derived by a process different from that of REACH.

Predicted No Effect Concentration (PNEC) - 1,2-Benzenedicarboxylic acid, di-C8-C10-branched alkyl esters, C9-rich

alkyl esters, 03-non	
Water - Fresh Water	No data
Water - Marine Water	No data
Water - Intermittent release	No data
Sediment - Fresh water	No data
Sediment - Marine water	No data
Soil	30 mg/kg
Sewage Treatment plant	No data

Predicted No Effect Concentration (PNEC) - Hydrocarbons C12 - C15 n-alkanes, isoalkanes, cyclics, < 2% aromatics

No data available, testing technically not feasible

PNEC - distillates (petroleum), hydrotreated light naphthenic

No data available.

8.2 Exposure controls:

Concentrations of product vapours and mists in the working atmosphere must be kept as low as is reasonably practicable. Exposure should be minimised by the use of appropriate containment, engineering control and ventilation measures.

Where this is not possible, personal protective equipment should be worn as indicated below where appropriate.

Appropriate engineering controls:	Provide adequate ventilation, including appropriate local extraction to ensure that the defined occupational exposure limits are not exceeded.
Personal protection equipment:	• • · · · · · · · · · · · · · · · · · ·
Eye and face protection:	Safety glasses with side-shields conforming to EN166.
Skin protection - hand:	 Protective gloves conforming to EN374. Use chemical resistant gloves recommended by glove manufacturer as being suitable for kerosenes if hand exposure is unavoidable. Glove manufacturer's directions for use should be observed. Use protective gloves made of: Nitrile, Neoprene, Polyvinyl chloride (PVC). As the product is a preparation, consult the glove manufacturer for exact breakthrough time.
Skin protection – other:	Wear impervious clothing. The type of protective equipment must be selected according to the concentration and amount of dangerous substance at the specific workplace.

Respiratory prot Thermal hazards Environmental e	Use a respirator with appropriate canister type filter cartridge if spraying in confined or unventilated areas. For nuisance exposures use a chemical respirator with organic vapour cartridge. Use respiratory equipment with gas filter type A2P3 (EN141). For higher level protection use type ABEK-P3 (EN141) respirator cartridges. Use respirators and components tested and approved under CEN standards. Not applicable. Avoid any release to the environment.
	·

SECTION 9 PHYSICAL & CHEMICAL PROPERTIES

9.1

Information on basic physical and chemical properties:

Appearance:	Mobile red liquid.
Odour:	Mild hydrocarbon.
Odour threshold:	No data available.
pH:	Neutral.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	230 °C.
Flash point (PMCC):	93 °C (minimum).
Evaporation rate (BuAC = 100):	<0.1
Flammability (solid, gas) (Limits in air):	No data available.
Upper/lower flammability or explosive	1 - 6% (Vol %)
limits:	
Vapour pressure:	< 0.5 mm Hg
Vapour density (Air = 1):	> 1
Relative density:	0.85 g/cm ³
Solubility:	Negligible
Partition coefficient: n-octanol/water:	3.9 - 6 (distillates (petroleum), hydrotreated
	light naphthenic)
Auto-ignition temperature:	> 200 °C.
Decomposition temperature:	No data available.
Viscosity (ASTM D445):	3.3 mm²/s @ 20 ⁰C.

Not considered to be explosive.

Does not meet the criteria for oxidising.

Note: properties relate to the bulk product only unless otherwise stated.

9.2 Other information: No other information.

Explosive properties:

Oxidising properties:

SECTIO	N 10 STABILITY & REACTIVI	ТҮ
10.1	Reactivity:	No hazardous reactions if stored and handled as prescribed.
10.2	Chemical stability	Stable under normal conditions of use and applications.
10.3	Possibility of hazardous reactions:	No hazardous reactions when stored and handled according to instructions.
10.4	Conditions to avoid:	Keep away from sources of ignition, hot surfaces, direct sunlight and static discharge.
10.5	Incompatible materials:	Strong oxidising agents. Acids and alkalis.

10.6 Hazardous decomposition materials:

None under normal conditions of storage and use. Smoke, soot and oxides of carbon and nitrogen on combustion.

SECTION 11	TOXICOLOGICAL II	NFORMATION
		: based on data for component materials.
Acute toxicity -	- orai:	Based on the available data, the classification
Acute toxicity -	- dermal:	criteria are not met. Based on the available data, the classification
	ucimai.	Based on the available data, the classification criteria are not met.
Acute toxicity -	- inhalation	Based on the available data, the classification
		criteria are not met.
Skin corrosion	/irritation:	Based on the available data, the classification
		criteria are not met.
Serious eve da	mage/irritation:	Based on the available data, the classification
	-	criteria are not met.
Respiratory se	nsitisation:	Based on the available data, the classification
		criteria are not met.
Skin sensitisat	ion:	Based on the available data, the classification
		criteria are not met.
Germ cell muta	agenicity:	Based on the available data, the classification
		criteria are not met.
Carcinogencity	y :	Not considered to have carcinogenic
		properties because it contains less than 3% DMSO extract.
Reproductive t	oxicity	Based on the available data, the classification
		criteria are not met.
STOT single ex	xposure:	Based on the available data, the classification
		criteria are not met.
STOT repeated	l exposure:	Based on the available data, the classification
		criteria are not met.
Aspiration haz	ard:	Asp. Tox. 1 - H 304: May be fatal if swallowed
-		and enters airways.
Information on	likely Routes of Ever	osure and Potential Health Effects:
Inhalation:		May cause irritation to the respiratory system.
		Contains organic solvents which in case of
		overexposure may depress the central
		nervous system causing dizziness and
		intoxication.
Ingestion:		May be fatal if swallowed and enters airways.
		Droplets of the product aspirated into the
		lungs through ingestion or vomiting may
_		cause a serious chemical pneumonia.
Eye contact:		May cause temporary discomfort.
Skin contact:		Causes skin irritation. EUH066: Repeated
		exposure may cause skin cracking or
		dryness.
		-

Toxicity Test Results: based on data for component materials, where available.

Acute Toxicity – oral	LD50 (rat)	> 5000 mg/kg			
Acute Toxicity – dermal	LD50 (rabbit)	> 5000 mg/kg			
Acute Toxicity – inhalation	LC50 (rat)	> 4951 mg/l (vapours) 4 hours			

Distillates (petroleum), hydrotreated light naphthenic

Acute Toxicity – oral	LD50 (rat)	> 5000 mg/kg
Acute Toxicity - dermal	LD50 (rabbit)	> 2000 mg/kg
Acute Toxicity - inhalation	LC50 (rat)	2.18 mg/l 4 hours

1,2-Benzenedicarboxylic acid, di-C8-C10-branched alkyl esters, C9-rich

Acute Toxicity – oral	LD50 (rat)	> 5000 mg/kg
Acute Toxicity – dermal	LD50 (rat)	> 3160 mg/kg
Acute Toxicity – inhalation	LC50 (rat)	4.4 mg/l (4 hours)

Other Information: None known

SECTION 12 ECOLOGICAL INFORMATION

Based on data for component materials

12.1 Toxicity:

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Distillates (petroleum), hydrotreated light naphthenic

Fish	Onchorynchus mykiss	LC50	96 hours	> 5000 mg/l
Fish	Pimephales promelas	NOEC	7 days	> 5000 mg/l
Aquatic Invertebrates	Daphnia magna	EC50	48 hours	> 1000 mg/l
Aquatic Invertebrates	Daphnia magna	NOEC	21 days	> 1000 mg/l
Algae	Scenedesmus subspicatus	LC50	96 hours	> 1000 mg/l
Microorganisms	Pseudomonas fluorescens	EC20	6 hours	> 1000 mg/l

1,2-Benzenedicarboxylic acid, di-C8-C10-branched alkyl esters, C9-rich

Fish	Onchorhynchus mykiss	LC0	96 hours	0.16 mg/l
Fish	Oryzia latipes	NOEC	284 days	18.5 µg/l
Aquatic Invertebrates	Daphnia magna	EC0	48 hours	0.06 mg/l
Aquatic Invertebrates	Daphnia magna	NOEC	21 days	0.0036 mg/l
Aquatic Plants	Pseudokirchneriella subcapitata	NOEC	5 days	1.8 mg/l

12.2	Persistence and degradability:	Hydrocarbons C12- C15 n-alkanes, isoalkanes, cyclics, < 2% aromatics: is expected to biodegrade. Distillates (petroleum), hydrotreated light naphthenic: is not readily biodegradable.
12.3	Bioaccumulative potential:	Hydrocarbons C12 - C15 n-alkanes, isoalkanes, cyclics, < 2% aromatics: no data available.
	Partition coefficient: n-octanol/water (log Kow): Bioconcentration factor (BCF):	Distillates (petroleum), hydrotreated light naphthenic: Log Pow = 3.9 - 6. No data available.
12.4	Mobility in soil:	This product is insoluble in water.
12.5	Results of PBT and vPvB assessment:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
12.6	Other adverse effects:	No data available.

SECTION 13

DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Dispose of waste and residues in accordance with local authority requirements. Seek the advice of an approved waste disposal contractor for disposal at a licensed facility in accordance with national legislation.

Product/packing disposal:

Empty containers may contain residue and

Waste codes/waste designations according to LoW:

Empty containers may contain residue and can be dangerous. Do NOT remove labels. 14 06 03* other solvents and solvent mixtures

NOTE: Waste codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use. Waste producers need to assess the actual process used when generating the waste and its contaminants in order to assign the proper waste code(s).

Waste treatment – relevant information:	Dispose of waste and residues in accordance with local authority requirements. Seek the advice of an approved waste disposal contractor for disposal at a licensed facility in accordance with local, state or national legislation.
Sewage disposal – relevant information:	Do not empty down the drain.
Other disposal recommendations:	Use a licensed waste contractor.

SECTIO	DN 14 TRANSPORT INFOR	MATION	
14.1	UN number:	ADR/RID: IMDG:	-
		IATA:	-
14.2	UN proper shipping name:	ADR/RID:	Not dangerous goods.
		IMDG:	Not dangerous goods.
		IATA:	Not dangerous goods.
14.3	Transport hazard class(es):	ADR/RID:	-
		IMDG:	-
		IATA:	-
14.4	Packing group:	ADR/RID:	-
		IMDG:	-
		IATA:	-
14.5	Environmental hazards:	ADR/RID:	-
		IMDG:	-
		IATA:	-
14.6	Special precautions for user: Not applicable.		
14.7	Transport in bulk according to Annex Not applicable.	x II of Marpol 73/78	and the IBC code:

SECTION 15

REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: EU Regulations:

This data sheet complies with the requirements of Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures. Safety data sheet as required by EC-Regulations 1907/2006 and REACH Annex II Amendment (EU) No. 2015/830.

Information according to 2013/10/EU and 2008/47/EC amendment of the aerosol directive 75/324/EEC. Not applicable - this product is not an aerosol. National regulations (Germany): Wassergefahrdungklasse (water WGK 1 – Low hazard to waters. hazard class):

TechnischeAnleitungLuft (TA-Luft):

Class 5.2.5 Organic Substances, except dusts.

٦

15.2 Chemical safety assessment:

No chemical safety assessment has been carried out for this mixture by the supplier.

(i) Indication of changes:

This safety data sheet has been updated to meet the requirements of Regulation EU No. 2015/830 and Regulation (EC) No. 1272/2008. Removal of the Classification according to 67/548/EEC as amended & Directive 1999/45/EC. Version 15.2 Also updated in Sections 2, 3, 4, 8, 10, 11 and 16 due to updated safety information from our suppliers. Vertical lines on the left hand side indicate an amendment from the previous version.

(ii) Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road. (<i>Accord européen relatif au transport international des marchandises</i> <i>D</i> angereuses par <i>R</i> oute)	
CAS No.	Chemical Abstracts Service number	
CEN	European Committee for Standardisation	
CLP	Classification, Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
ECHA	European Chemicals Agency	
EC50	Half Maximal Effective Concentration	
EC number	EINECS and ELINCS number	
EINECS	European Inventory of Existing Commercial Substances	
ELINCS	European List of notified Chemical Substances	
GHS	Globally Harmonized System	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Lethal Concentration to 50% of a test population	
LD50	Lethal Dose to 50% of a test population	
MPI	Magnetic Particle Inspection	
NDT	Non-Destructive Testing	
OEL	Occupational Exposure Limit	
PBT	Persistent, Bioaccumulative and Toxic Substance	
PMCC	Pensky-Martens closed cup method	
PPE	Personal Protection Equipment	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation EC (No) 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
	(Reglement International concernant le transport des marchandises Dangereuses	
	par chemin de fer)	
SDS	Safety Data Sheet	
STOT RE	Specific Target Organ Toxicity, Repeat Exposure	
STOT SE	Specific Target Organ Toxicity, Single Exposure	
TA-Luft	Technical Instructions on Air Quality Control (Technische Anleitung zur	
	Reinhaltung der <i>Luft</i>)	
vPvB	Very Persistent and Very Bioaccumulative	
WEL	Workplace Exposure Limit	
WGK	German Water Hazard Class (Wassergefährdungsklasse)	
-		

Key literature and sources of data:

- Supplier's safety data sheets for components listed in Section 3.
- European Chemicals Agency, http://echa.europa.eu/
- GESTIS International Limit Values Database, http://limitvalue.ifa.dguv.de/Webform_gw.aspx
- Occupational Exposure Limits EH40/2005.
- Commission regulation (EU) 2015/830.
- Control of Substances Hazardous to Health Regulations 2002.
- Hazardous waste regulations 2005.
- Health & Safety at Work Act 1974.
- REACH Directive (EC) 1907/2006.

(iv) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 (CLP):

Classification according to Regulation (EC) No 1272/2008	Classification procedure
Asp. Tox. 1, H304	Calculation
EUH066	Calculation

(v) Hazard statements (number and full text): H304: May be fatal if swallowed and enters airways. H350: May cause cancer. EUH066: Repeated exposure may cause skin dryness or cracking. Relevant precautionary statements (number and full text): P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE or doctor. P331: Do NOT induce vomiting. P405: Store locked up. P501: Dispose of containers and contents to hazardous waste or special waste collection point. P280: Wear protective gloves / protective clothing / eye protection / face protection. (vi) Training advice: Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene. Chemical hazard risk assessment. Provide adequate information, instruction and training to operators.

DISCLAIMER

The information and recommendations contained herein are based upon data believed to be up-todate and correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information and recommendations contained herein. We accept no responsibility and disclaim all liability for any harmful effects that may be caused by (incorrect) use, handling, purchase, resale, or exposure to our product. Customers and users of our product must comply with all applicable health and safety laws, regulations, and orders. In particular, they are under an obligation to carry out a risk assessment for the particular work places and to take adequate risk management measures in accordance with the national implementation legislation of EU Directives 89/391/EEC and 98/24/EC amended by Directive 2014/27/EU.

Revision summary:	Revision Comments Revision Date	Revision to take into account Regulation (EC) No. 1272/2008 (CLP) and Regulation (EU) No. 2015/830. Removal of the Classification according to 67/548/EEC as amended & Directive 1999/45/EC (CHIP4). Version 15.2 Also updated in Sections 2, 3, 4, 8, 10, 11 and 16 due to updated safety information from our suppliers. Vertical lines on the left hand side indicate an amendment from the previous version. 30.10.15
I	Version	15.2

(iii)